

CROOK COUNTY

ROAD STANDARD DEVELOPMENT SCHEDULE

- A. **EASEMENT**: Present and future need and dedication procedure.
- B. **SUBMIT** a copy of an “APPROVED” ROAD APPROACH OR TEMPORARY ACCESS PERMIT, if applicable.
- B. **CONSTRUCTION PLAN REVIEW**: All Construction Plans MUST be APPROVED prior to the commencement of work. NO EXCEPTIONS!

The following items **MUST** be identified on the plans:

Engineer Stamp, Culverts, Bio Swales, Check Dams, Road Typical Cross Sections, Utilities, Project Profile, Elevations, Construction Notes, Legend, Scale, Cover Page with project layout of all phases, Date, Drawing Number.

- a. **MAILBOX AND SCHOOL BUS PICKUP**: All mailbox and school bus pickup areas must be identified on the plans with letters from the U.S. Postal Service and School Transportation approving of locations.
 - b. **FIRE DEPARTMENT SIGN OFF**: The Fire Department must sign off on the plans submitted for the road design for fire apparatus access.
 - c. **DEQ Storm Water NPDES 1200 Permit** if over 1 acre of site disturbance.
 - d. **DEPARTMENT OF ENVIRONMENTAL QUALITY LETTER**: A letter must be submitted by DEQ that states the storm water plan is approved or would not required.
 - e. **PERMIT TO WORK WITHIN COUNTY ROW – INSURANCE BOND**: If development would occur within a County Right-of-Way the developer is required to submit an Engineer’s estimate for review on bond amount.
 - f. **PROJECT SCHEDULE, TRAFFIC CONTROL PLAN, UTILITY LOCATES COMPLETED AND MAINTAINED.**
 - g. **ANY OTHER REGULATORY PERMITS AS REQUIRED.** For example, Corp of Engineer if crossing water way, Oregon Department of Fish & Wildlife, etc.
- C. **INSPECTION FORMAT**: This requires a **TWO (BUSINESS) DAY ADVANCE** notice prior to inspections. No Exceptions.

SUB BASE, PRIOR TO PLACING MINUS ROCK
EROSION CONTROL ALL PHASES
CHECK DAMS, CULVERTS, ALL PHASES
MINUS ROCK AT 6” OF 1 ½-0 AND 6” OF ¾-0 - FOR 0-20 PADT
MINUS ROCK AT 6” OF ¾-0 FOR - 21-99 PADT
MINUS ROCK AT 4” OF 1 ½-0 AND 4” OF ¾-0 - FOR PADT 100 +
MINUS ROCK AT 6” OF 1 ½ -0 AND 4” OF ¾ -0 TRUCK ROUTE
PAVING AT EACH LIFT FOR PADT’S 21-99, 100 + AND TRUCK ROUTE

If you should have any questions regarding the above requirements please contact the Crook County Road Department at 541-447-4644.